

Blush[®]

Naturally Warm



Blush - Rustic Shadowclad - Naturale

www.climatesurfaces.com



Create character and warmth with Blush[®]

The natural strength and beauty of timber enhanced and protected by a Climate[®] finish.

The natural wood character combined with contemporary semi-opaque finishes provides the ideal wall and ceiling lining solution to create warm and enticing natural interiors.

For the past five years Blush[®] has been used in contemporary architecture that range from indoor stadiums to exotic hotels and across the spectrum of new and renovated homes.

It's the natural warmth of Blush's wood grain and colour combined with the aesthetics and functionality of the semi opaque Climate[®] finishes that provide the perfect material for creating unique interior spaces.

Eco-Friendly Product



The Blush[®] finish is manufactured from a 100% solid powder coating material, this means that it contains no volatile organic compounds (VOCs).

Reduce interior toxicity levels by eliminating paint fumes. Blush[®] uses plywood from sustainable and renewable radiata pine plantations in New Zealand.

The original finished plywood lining



Universal Homes - Blush - V-Groove - Blonde



Blush - V-Groove - Blonde



Blush - V-Groove - Naturele



Blush - V-Groove - Ash



Blush - Smooth Face - Blonde

Blush[®] because...

Residential: New homes and renovations to create a warm authentic timber feel.

Commercial: No onsite painting contractors required, keeps the plywood face clean during installation and saves time.

Hospitality: Ideal for Resorts and Hotels to create a Pacific theme and to fit in with the natural environment.


Factory built homes: Install and finish prior to shipment saving time, complexity and costs.

Retail: Creates authentic yet contemporary wood warmth to display retail goods of a similar nature.

Design Tips

- Skirtings, dado mouldings, cornices and furniture trim can be used to hide nail and screw heads.
- Where necessary use matching putties to fill nail and screw holes.
- Secret nail through the panel tongue junctions to hide nails.

Refer to the Specification Manual at www.climatesurfaces.com for further detailed installation information and CAD files.



Choose the best Blush® option for your next project

Profile/ Appearance



Smooth Face

Smooth Face S/E, 2400 x 1200 x 12 mm

A contemporary panelling appearance with the square edges providing the ability to create clean shadow lines at sheet joins by negative detail fixing.



V Groove

4mm V Grooves, 100mm centres, Tongue & Groove edge, 2400 x 1200 x 12 mm

Creates a traditional timber panelling appearance and seamless join along the sheet length with grooves at 100mm centres. The T&G edge fixing provides a rigid, easy to install option.



Rustic Shadowclad

Bandsawn Face, shi lap edge. Grooves 9mm wide x 5 mm deep, 150 mm centres. 2440 x 1200 x 12 mm

Created by using un-treated Shadowclad® the bandsawn surface has an authentic rusticated look, while the wider, deeper grooves set at 150mm centres create a contemporary shadow line effect. The shi lap edges make installation easy and seamless on long edges.

Colours




Naturale

a clear finish which highlights and protects.



Blonde

a contemporary and warm white wash



Ash

a contemporary and warm neutral wash

All Colours available in standard low sheen finish

Blush is a natural timber product and will vary in colour, finish and timber character.

Refer to samples and technical literature prior to specification.

Note: Blush® must be stored, handled, installed, used and maintained in accordance with the Blush® technical brochure.

Distributed by:

Gunnensen Ltd.

Ph: 0800 448 663 Fax: 09 828 2228

61-69 Patiki Rd, Avondale, Auckland.

www.gunnensens.co.nz

Made by:

Climate Coatings Ltd.

Customer Services New Zealand Phone 0800 256 111

PO Box 107 018, Airport Oaks, Auckland, New Zealand

Phone {64 9} 256 7879 / Fax {64 9} 256 7878

www.climatesurfaces.com

